

Ornamental Pepper Sedona

(Capsicum annuum)

Germination

Cover seed lightly with coarse vermiculite. Germination takes 5-7 days.

Approximate seed count 8,000 seed/oz (285 seeds/g)

Media

Use a well-drained, disease-free, soilless media with a pH of 5.8 to 6.2 and a medium initial nutrient charge (EC 0.75 mmhos/cm).

Plug Production

Plug Tray Size

Ornamental peppers are well-suited to 288-cell or larger plugs.

Stage 1 (Radicle emergence/5 to 7 days)

- Maintain soil temperature at 72 to 76°F (22 to 24°C).
- Keep medium evenly moist but not saturated (level 4).
- Cover the seed lightly with coarse vermiculite.
- Light is not necessary for germination until radicle emergence.
- Maintain soil pH at 5.5 to 5.8 and soluble salts (EC) at less than 0.5 mmhos/cm (using 2:1 extraction).
- Keep ammonium levels less than 10 ppm.

Stage 2 (Stem and cotyledon emergence/7 to 10 days)

- Maintain soil temperature at 68 to 73°F (20 to 23°C).
- Allow the medium to dry out slightly (level 3) before watering for best germination and rooting.
- Provide light levels of up to 2,500 f.c. (26,900 Lux) for the remainder of plug production.
- Begin fertilizing at rate 1 (less than 100 ppm N/less than 0.7 mS/cm EC) from nitrate-form fertilizers with low phosphorous.
- Alternate feed with clear water.

Stage 3 (Growth and development of true leaves/10 to 14 days)

- Maintain soil temperature at 68 to 70°F (20 to 21°C).
- Avoid wilt.
- Increase feed to rate 2 (100 to 175 ppm N/0.7 to 1.2 mS/cm EC) from 14-0-14 or other calcium / potassium nitrate fertilizer. Fertilize every 2 to 3

irrigations. Maintain medium pH of 5.8 to 6.2 and EC between 1.0 and 1.5mS/cm (1:2 extraction).

- Chemical growth regulators cannot be used on peppers.

Stage 4 (Plants ready for transplanting or shipping/7 days)

- Maintain soil temperature at 68 to 70°F (20 to 21°C).
- Provide medium soil moisture and avoid wilt.
- Maintain soil pH at 5.5 to 5.8 and soluble salts (EC) at less than 0.75 mmhos/cm.
- Continue to fertilize with 100 to 175 ppm N from 14-0-14 or calcium/potassium nitrate feed as needed.

Growing On to Finish

Media

Use a well-drained, disease-free, soilless medium with a medium initial nutrient charge and a pH of 5.5 to 6.3.

Temperature

Nights: 65 to 70°F (18 to 21°C)

Days: 68 to 80°F (20 to 26°C)

Peppers will be damaged by temperatures below 45°F (7°C). Prefer temperatures as warm as possible.

Light

Provide light levels as high as possible. Peppers prefer high light with warm temperatures. Foliage colors will be more intense under higher light levels and high temperatures.

Fertilization

- Fertilize at every other irrigation with 20-10-20 at rate 3 (175 to 225 ppm N/1.2 to 1.5 mS/cm EC).
- Maintain medium electrical conductivity around 1.0 mmhos/cm (using 1:2 extraction).

Controlling Height

- High light levels and spacing will keep plants from stretching.
- We do not recommend the use of chemical plant growth regulators on ornamental peppers and in many parts of the world, use of these chemicals is prohibited on these plants.

Container Size

1801 pack: 1 plug per cell

4 to 4.5-in. (10 to 11-cm) pot: 1 plug per pot

6-in (15-cm) pot: 1 to 3 plugs per pot

1-gallon (18-cm) pot: 1 to 3 plugs per pot

Crop Schedule (Spring Production)

Plug stage: 4 to 5 weeks

Transplant to foliage only, no fruit: 9 to 10 weeks

Transplant to mature fruit: 16 to 20 weeks

Note: Crop time for mature fruit will be 4 to 5 weeks shorter during Summer production.

Green Thumb Tips

Tips for Landscapers and Gardeners

Location: Full sun

Garden Height:

Black Pearl: 14 to 18 in. (35 to 45 cm); may grow 2 to 3 ft. (60 to 90 cm) or taller in warmer areas with longer



NORSECO

growing seasons.

Purple Flash: 13 to 15 in. (33 to 38 cm)

Calico: 10 to 12 in. (25 to 30 cm)

Garden Spread:

Black Pearl: 12 to 16 in. (30 to 40 cm)

Purple Flash: 19 to 21 in. (48 to 52 cm)

Calico: 14 to 16 in. (35 to 40 cm)

Ref. : 7 Mai 2013

<http://www.panamseed.com/advancedsearch.aspx>

