# Cultural Information



	Vigor	pH/EC	Rooting Out Temperature	Growing Temperature	Holding Temperature	Water Requirements	Planting s and Timing	Finish Times in Weeks	Spring Outdoor Finish
ARTIST® Ageratum	Vigor 2	5.8 - 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Moderate to Moist	Early Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	Last to go outside
ANGELFACE® Angelonia	Vigor 3	5.8 - 6.2/.69	65-72° F (18-22° C)	70-75° F (21-24° C)	60-65° F (16-18° C)	Moderate to Moist	Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 5-7; for 6"/gallon, 7-8; for 8", 7-9; for 10-12", 10-14	Do not finish outside
BUTTERFLY Argyranthemum	Vigor 3	5.8 - 6.2/.69	65-72° F (18-22° C)	60-65° F (16-18° C)	40-50° F (4-10° C) outdoors	Moderate to Moist	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 5-7; for 6"/gallon, 7-8; for 8", 7-9; for 10-12", 10-14	First to go outside
SILVER BULLET® Artemisia	Vigor 3	5.8 - 6.5/.69	65-72° F (18-22° C)	55-65° F (12-18° C)	40-50° F (4-10° C) outdoors	Moderate	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 8-10	First to go outside
Asparagus Fern Asparagus	Vigor 2	5.8 - 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	65-72° F (18-22° C)	Moderate to Moist	Spring to Summer Finish. Standard Plants Per Container.	For 4-5" and QT, 5-6; for 6"/gallon, 7-9	Do not move outside until all danger of frost is past
DOUBLE DELIGHT® and SOLENIA® Begonia	Vigor 2	5.5 – 6.2/.69	70-75° F (21-24° C)	65-72° F (18-22° C)	65-72° F (18-22° C)	Dry to Moderate	Spring to Summer Finish. Standard Plants Per Container.	For 4-5", 6-8; for 6"/gallon, 6-8; for 10-12", 8-12	Do not move outside until all danger of frost is past
DOUBLE UP™ Begonia	Vigor 2	5.5 – 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	65-72° F (18-22° C)	Dry to Moderate	Spring to Summer Finish. Standard Plants Per Container.	For 4-5", 5-7; for 6"/gallon, 6-8; for 10-12", 10-12	Do not move outside until all danger of frost is past
PEGASUS® Begonia	Vigor 3	5.5 - 6.0 /.69	65-72° F (18-22° C)	65-72° F (18-22° C)	65-72° F (18-22° C)	Dry to Moderate	Spring to Fall Finish.	For 4-5", 5-7; for quarts, 6-8; for 6"/gal, 7-9; for 10-12". 10-12	Do not move outside until all danger of frost is past
SPACE AGE™ Begonia rex	Vigor 2	5.8 – 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	65-68° F (18-20° C)	Dry to Moderate	Spring to Winter Finish. Standard Plants Per Container.	For 4-5", 7-9; for 6"/gallon, 10-12; for 10". 12-14;	Do not move outside until all danger of frost is past
SUREFIRE® Begonia	Vigor 4	5.5 – 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	65-72° F (18-22° C) outdoors	Dry to Moist	Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 5-7; for 6"/gallon, 6-8; for 8", 7-9; for 10-12", 10-12	Do not move outside until all danger of frost is past
CAMPFIRE® series and GOLDILOCKS ROCKS® Bidens	Vigor 2 Vigor 3	5.8 – 6.2/.69	65-72° F (18-22° C)	55-65° F (12-18° C)	40-50° F (4-10° C) outdoors	Moderate	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	Second to go outside
ENDLESS™ <i>Browallia</i>	Vigor 2	6.5 - 7.5/.69	70-85° F (21-29° C)	70-85° F (21-29° C)	70-85° F (21-29° C)	Moderate to Moist	Late Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 5-7; for 6"/gallon, 6-9; for 8", 8-9; for 10-12", 9-13	Last to go outside

**VIGOR KEY** – 1 to 4, with 1 representing the slower, smaller growers and 4 representing the quickest, largest growers. For combinations, choose varieties with the same vigor rating to ensure success.

	Vigor	pH/EC	Rooting Out Temperature	Growing Temperature	Holding Temperature	Water Requirements	Planting s and Timing	Finish Times in Weeks	Spring Outdoor Finish
SUPERBELLS® Calibrachoa	Vigor 2	5.5 - 5.8/.69	65-72° F (18-22° C)	55-65° F (12-18° C)	40-50° F (4-10° C) outdoors	Moderate to Moist	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	Second to go outside
LADYBIRD® Calylophus	Vigor 1	5.5 - 5.8/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	40-50° F (4-10° C)	Dry to Moderately Dry	Spring to Fall Finish. Standard Plants Per Container.	For 4-5", 6-7; for 6"/gallon, 7-9; for 10-12", 10-12	Second to go outside
TOUCAN® Canna	Vigor 4	6.2 -7.0/1.0 -2.0	75-85° F (24-30° C)	75-85° F (24-30° C)	65-72° F (18-22° C)	Moist	Late Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 6-8; for 6"/gallon, 6-8; for 8", 8-10; for 10-12", 10-12	Do not move outside until all danger of frost is past
'Variegatum' Chlorophytum comosum	Vigor 2	6.0 - 6.5/.68	68-72° F (20-22° C)	65-70° F (18-21° C)	50-55° F (10-13° C)	Moderate	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 6-8; for 6"/gallon, 8-9; for 8", 11-12	Last to go outside
FLAMBE® Yellow Chrysocephalum	Vigor 2	6.0 - 6.5/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C) outdoors	Dry to Moderate	Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 5-6; for 6"/gallon, 6-8; for 8", 8-10; for 10-12", 10-12	Do not move outside until all danger of frost is past
SEÑORITA Cleome	Vigor 4	5.8 - 6.2/1.0 - 2.0	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C) outdoors	Dry to Moderate	Mid-Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 5-6; for 6"/gallon, 8-10; for 8", 8-10; for 10-12", 10-12	Do not move outside until all danger of frost is past
'Coffee Cups' and HEART OF THE JUNGLE® Colocasia	Vigor 3	5.8 - 6.2/.69	70-75° F (21-24° C)	70-75° F (21-24° C)	50-60° F (10-16° C)	Moderate to Moist	Spring to Summer Finish. Standard Plants Per Container.	For QT, 7-9; for 6"/gallon, 9-11; for 14", 13-15	Do not move outside until all danger of frost is past
VERMILLIONAIRE® Cuphea	Vigor 3	6.0 - 6.5/.69	65-72° F (18-22° C)	70-75° F (21-24° C)	50-60° F (10-15° C) outdoors	Moderate to Moist	Late Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 5-6; for 6"/gallon, 8-10; for 10-12" 10-12	Last group to go outside
TOTALLY TEMPTED™ Cuphea procumbens	Vigor 3	5.8 - 6.2/.69	68-72° F (20-22° C)	70-78° F (21-26° C)	65-72° F (18-22° C)	Dry to Moderate	Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 8-9; for 6"/gallon, 8-9; for 8-12" 8-9	Do not move outside until temps are above 50°F (10°C)
MYSTIC Illusion Dahlia	Vigor 3	5.8 - 6.2/.8 -1.2	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-15° C)	Moderate to Moist	Early Spring to Summer Finish. Standard Plants Per Container.	For 4-5", 5-6; for 6"/gallon, 6-8; for 8", 8-10; for 10-12", 10-12	Do not finish outside
VIRTUOSO™ Dahlia variabilis	Vigor 2	5.8 - 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	60-65° F (15-18° C)	Moderate to Dry	Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 5-6; for 6"/gallon, 6-7; for 8", 8-9; for 10-12", 10-12	Do not finish outside
SILVER FALLS™ Dichondra	Vigor 3	5.5 - 5.8/.6 - 1.0	65-72° F (18-22° C)	65-72° F (18-22° C)	65-72° F (18-22° C)	Dry to Moderate	Spring to Fall Finish. Standard Plants Per Container.	For 4-5",4-5; for 6"/gallon, 5-7; for 10-12", 7-10	Do not finish outside
DIAMOND FROST® DIAMOND SNOW® DIAMOND MOUNTAIN® Euphorbia	Vigor 3 Vigor 3 Vigor 4	5.8 - 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C) outdoors	Moderate to Moist	Early Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	Do not move outside until all danger of frost is past

	Vigor	pH/EC	Rooting Out Temperature	Growing Temperature	Holding Temperature	Water Requirements	Planting s and Timing	Finish Times in Weeks	Spring Outdoor Finish
BLUE MY MIND® BLUE MY MIND® XL Evolvulus	Vigor 2	6 - 6.9/.69	65-72° F (18-22° C)	70-75° F (21-24° C)	50-60° F (10-16° C) outdoors	Dry to Moderate	Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 7-9; for 6"/gallon, 10-12; for 8", 10-12; for 10-12", 12-14	Last to go outside
STRATOSPHERE™ and KARALEE® <i>Gaura</i>	Vigor 3	5.8 - 6.2/.69	65-72° F (18-22° C)	55-65° F (12-18° C)	40-50° F (4-10° C) outdoors	Moderate to Moist	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 6-8; for 6"/gallon, 7-10; for 8", 8-11; for 10-12", 12-14	First to go outside
TRUFFULA™ Pink Gomphrena	Vigor 4	6.0 - 6.5/0.6 - 0.9	65-72° F (18-22° C)	65-72°F (18-22° C)	50-60° F (10-16° C)	Moderate	Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 5-7; for 6"/gallon, 7-9; for 10-12", 10-12	Do not move outside
GRACEFUL GRASSES® BABY TUT®, KING TUT® and PRINCE TUT™ QUEEN TUT™ Cyperus	Vigor 4 Vigor 3	6 - 6.5/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-65° F (10-18° C)	Moderate to Moist	Early Spring through Summer Finish. Standard I liner per 6" container	For 4-5", 4-6; for 6"/gallon, 6-8; for 8", 7-9; for 10-12", 10-12	Do not finish outside
GRACEFUL GRASSES® BLUE MOHAWK® 'Curly Wurly' Juncus	Vigor 2	5.8 - 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	40-50° F (4-10° C)	Moist to Wet	Spring to Summer Finish. Standard Plants Per Container.	For 4-5" and QT, 4-6; for 6"/gallon, 6-8	Last to go outside
GRACEFUL GRASSES® 'Fireworks' Purple Fountain Grass 'Sky Rocket' VERTIGO® Pennisetum	Vigor 3 Vigor 3 Vigor 3 Vigor 4	5.8 - 6.2/.69	65-72° F (18-22° C)	70-75° F (21-24° C)	50-65° F (10-18° C) outdoors	Moderate to Moist	Spring to Fall Finish. Standard Plants Per Container.	For 4-5" and QT, 4-8; for 6"/gallon, 6-9 for 7-9", 8-10; for 10-12" and 2 gallon, 10-14	Do not move outside until all danger of frost is past
GRACEFUL GRASSES® Fiber Optic Grass Scirpus	Vigor 2	5.8 - 6.2/.69	65-72° F (18-22° C)	70-75° F (21-24° C)	50-65° F (10-18° C) outdoors	Moderate to Moist	Late Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 5-7; for 6"/gallon, 7-8; for 8", 7-9; for 10-12", 10-14	Do not move outside until all danger of frost is past
English Ivy <i>Hedera</i> Needlepoint	Vigor 2 Vigor 1	5.8 - 6.2/.69	65-72° F (18-22° C)	60-65° F (16-18° C)	50-60° F (10-16° C)	Moderate to Moist	Spring through Summer Finish. Standard Plants Per Container.	For 4-5" and QT, 5-6; for 6"/gallon, 7-8	Last to go outside
SUNCREDIBLE® Helianthus	Vigor 4	5.5 - 5.8/1.0 - 2.0	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Moderate to Moist	Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 4-5; for 6"/gallon, 7-9; for 10" basket or 14" upright, 8-9	Second to go outside
Licorice Plant Helichrysum Icicles	Vigor 3 Vigor 2	6.0 - 6.5/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	40-50° F (4-10° C)	Dry to Moderate	Spring through Summer Finish. Standard Plants Per Container.	For 4-5" and QT, 5-6; for 6"/gallon, 6-8	Last to go outside
AROMAGICA™ Purple AUGUSTA® Lavender Heliotropium	Vigor 3	6.0 - 6.5/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Moderate	Spring to Fall Finish. Standard Plants Per Container.	For 4-5", 5-7; for 6"/gallon, 8-10; for 10-12", 10-12	Last to go outside
HIPPO® Hypoestes	Vigor 2	5.8 - 6.2/.69	65-72° F (18-22° C)	70-80° F (21-27° C)	65-70° F (10-18° C) outdoors	Moderate	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 5-7; for 6"/gallon, 7-9; for 8", 8-10; for 10-12", 10-12	Last to go outside
ROCKAPULCO® Impatiens	Vigor 2	5.8 - 6.2/.7580	68-74° F (19-23° C)	65-75° F (18-24° C)	50-60° F (10-16° C)	Moderate to Moist	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 6-9; for 6"/gallon, 7-9; for 8", 7-9; for 10-12", 10-12	Do not finish outside

	Vigor	pH/EC	Rooting Out Temperature	Growing Temperature	Holding Temperature	Water Requirements	Planting and Timing	Finish Times in Weeks	Spring Outdoor Finish
	Vigor 3 Vigor 4	6.0 - 6.5/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C) outdoors	Moderate to Moist	Spring through Summer Finish. Standard Plants	For 4-5", 4-6; for 6"/gallon, 6-8; for 8", 8-10;	Do not move outside until all danger of
Green with Envy™, and Margarita	Vigor 4						Per Container.	for 10-12", 10-12	frost is past
Sweet Caroline Upside™ <i>Ipomoea</i>	Vigor 4	6.0 - 6.5/.69	70-75° F (21-24° C)	70-75° F (21-24° C)	50-60° F (10-16° C) outdoors	Moderate to Moist	Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	Do not move outside until all danger of frost is past
BETH'S BLUE® Isotoma	Vigor 2	5.8 - 6.2/.69	65-72° F (18-22° C)	50-65° F (10-18° C)	40-50° F (4-10° C)	Moderate to Moist	Early Spring to Fall Finish. Standard Plants Per Container.	For 4-5", 5-6; for 6"/gallon, 8-9; for 8", 9-10; for 10-12", 10-12	First to go outside
SAFARI® Jamesbrittenia	Vigor 2	5.5-6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Moderate	Spring to Fall Finish. Standard Plants Per Container.	For 4-5", 4-5; for 6"/gallon, 7-9; for 10-12", 10-12	Last to go outside
PINK CHABLIS® Lamium	Vigor 3	6.0 - 6.5/.69	65-72° F (18-22° C)	55-65° F (12-18° C)	40-50° F (4-10° C)	Moderate to Moist	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	First to go outside
LUSCIOUS® Vigor 3: BERRY BLEND™, CIT CITRUS BLEND™, PINKBERF Marmalade, GOLDENGATE™ Royale Piña Colada, Royale	RY BLEND™, ™ Vigor 2: Bas				50-60° F (10-16° C)	Moderate to Moist	Spring through Summer Finish. Standard Plants Per Container.	For 4-5",5-7; for 6"/gallon, 7-9; for 8", 9-10	Do not finish outside
LAGUNA® Lobelia	Vigor 2	5.8 - 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	40-50° F (4-10° C) outdoors	Moderate to Moist	Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	Second to go outside
Goldilocks <i>Lysimachia</i>	Vigor 3	6.0 - 6.5/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Moderate to Moist	Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 4-5; for 6"/gallon, 6-8; for 8", 8-10	First to go outside
WAIKIKI SUNSET® Lysimachia	Vigor 2	6.0 - 6.5/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Moderate to Moist	Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 4-5; for 6"/gallon, 6-8; for 8", 8-10	First to go outside
BLUSHING PRINCESS®, SNOW PRINCESS® VIOLET KNIGHT®, WHITE KNIGHT® Lobularia	Vigor 4 Vigor 3	6.0 - 6.5/.69	65-72° F (18-22° C)	55-65° F (12-18° C)	40-55° F (4-12° C) outdoors	Moderate to Moist	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 4-5; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	First to go outside
GOLDDUST® Mecardonia	Vigor 2	5.8 - 6.2/.69	65-72° F (18-22° C)	70-75° F (21-24° C)	70-75° F (21-24° C)	Moderate to Moist	Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	Do not finish outside
Big Leaf Creeping Wire Vine <i>Muehlenbeckia</i>	Vigor 2	6.0 - 6.5/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Moderate to Moist	Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 4-5; for 6"/gallon, 6-8; for 8", 8-10	Last to go outside

	Vigor	pH/EC	Rooting Out Temperature	Growing Temperature	Holding Temperature	Water Requirements	Planting and Timing	Finish Times in Weeks	Spring Outdoor Finish
SUNSATIA® Nemesia	Vigor 2	5.5 - 5.8/.69	65-72° F (18-22° C)	55-65° F (12-18° C)	40-50° F (4-10° C)	Dry to Moderate	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 4-6; For 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	Second to go outside
Bluebird Improved and AROMANCE® Nemesia fruticans	Vigor 2	5.5 - 5.8/.69	65-72° F (18-22° C)	55-65° F (12-18° C)	40-50° F (4-10° C) outdoors	Moderate to Moist	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	First to go outside
AMAZEL BASIL® Ocimum	Vigor 4	6.0 - 6.5/0.6 - 0.9	65-72° F (18-22° C)	65-72°F (18-22° C)	65-72°F (18-22° C)	Moderate to Moist	Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 4-5; for 6"/gallon, 5-7; for 10-12", 7-9	Last to go outside
BRIGHT LIGHTS™ Osteospermum	Vigor 2	5.8 - 6.2/.69	65-72° F (18-22° C)	55-65° F (12-18° C)	40-50° F (4-10° C) outdoors	Dry to Moderate	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	Last to go outside
CHARMED® Wine Oxalis regnellii	Vigor 1	5.8 - 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Moderate to Moist	Early Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	Do not finish outside
SUNSTAR® Pentas	Vigor 2	6.0 - 6.8/.69	70-75° F (21-24° C)	70-75° F (21-24° C)	50-60° F (10-16° C)	Moderate	Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 7-8; for 6"/gallon, 8-10; for 10" basket or 14" upright, 10-12	Do not move out unless temps are guaranteed to be 50-60° (10-16° C)
SUPERTUNIA® except Giant Pink and Vista <i>Petunia</i>	Vigor 3 Vigor 4	5.5 - 5.8/1.0 - 2.0	65-72° F (18-22° C)	55-65° F (12-18° C) outdoors	40-50° F (4-10° C)	Moderate to Moist	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 8-10	First to go outside
INTENSIA® Phlox	Vigor 2	5.8 - 6.2/1.0 - 2.0	65-72° F (18-22° C)	55-65° F (12-18° C)	40-50° F (4-10° C) outdoors	Dry to Moderate	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	Second to go outside
COLORBLAZE® Vigor 2: MINI ME™ Chartre and MINI ME™ Watermel Vigor 3: Royale APPLE BR Royale PINEAPPLE BRAI Vigor 4: Dipt in Wine, EI B TORCHLIGHT®, Chocolat	on, RANDY®, Roya NDY®, LIME TI Frighto, GOLDE	ME®, VELVETEEN® N DREAMS™, NEW	LY NOIR™, RED			Per Container,	Spring through Summer Finish. 6-8; for 8", 8-10; for 10-12", 10-12	For 4-5", 5-6; for 6"/gallon, outside	Do not finish
Swedish Ivy Plectranthus	Vigor 4	6.0 - 6.5/0.6-0.9	65-72° F (18-22° C)	55-65° F (12-18° C)	50-60° F (10-16° C)	Moderate to Moist	Spring to Fall Finish. Standard Plants Per Container.	For 4-5", 4-5; for 6"/gallon, 6-8; for 8", 8-10; for 10-12", 10-12	Last to go outside
MOJAVE® Portulaca	Vigor 2	6.0 - 6.5/ <.6	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Dry to Moderate	Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 7-9; for 8", 8-10; for 10-12", 10-12	Last to go outside

	Vigor	pH/EC	Rooting Out Temperature	Growing Temperature	Holding Temperature	Water Requirements	Planting and Timing	Finish Times in Weeks	Spring Outdoor Finish
ROCKIN'® and UNPLUGGED® Salvia	Vigor 4 Vigor 2	5.8 - 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Moderate	Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 5-7; for 6"/gallon (best), 7-9; for 8", 8-10; for 10-12"; 10-12	Second to go outside Unplugged: no outdoor finish
Sunbini® Sanvitalia	Vigor 2	5.8 - 6.2/06	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Dry to Moderate	Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 5-7; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	Do not finish outside
STARDIVA™and WHIRLWIND® Scaevola	Vigor 2 Vigor 3	5.5 - 5.8/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Moderate	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	Do not finish outside
LEMON CORAL® Sedum	Vigor 2	5.8 - 6.2/ <.6	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Dry to Moderate	Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 6-7; for 6"/gallon, 8-9; for 8", 8-10; for 10-12", 10-12	Last to go outside
Angel Wings Senecio	Vigor 2	5.8 - 6.2/1.8 -2.2 (using 2:1 extraction)	65-72° F (18-22° C)	65-70° F (18-21° C)	50-55° F (10-12° C)	Moderate to Medium Dry once established	Early Spring to Fall Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9	First to go outside
Persian Shield Strobilanthes	Vigor 3	5.8 - 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Moderate to Moist	Spring to Summer Finish. Standard Plants Per Container.	For 4-5" and QT, 6-8; for 6"/gallon, 8-10	Last to go outside
SNOWSTORM® except GIANT SNOWFLAKE® Sutera (Bacopa)	Vigor 2 Vigor 3	5.5 - 5.8/1.0-2.0	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C) outdoors	Moderate to Moist	Early Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 8-10	Last to go outside
A-PEEL® Thunbergia	Vigor 4	5.8 - 6.2/.69	65-72° F (18-22° C)	70-80° F (21-27° C)	65-70° F (18-21° C)	Moderate	Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 5-7; for 6"/gallon, 7-9; for 8", 8-10; for 10-12", 10-12	Last to go outside
CATALINA® and SUMMER WAVE® Torenia	Vigor 2 Vigor 3	5.5 - 6.2/.69	65-72° F (18-22° C)	70-75° F (21-24° C)	70-75° F (21-24° C)	Moderate to Moist	Spring through Summer Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 10-12	Do not finish outside
'Purple Queen' Tradescantia	Vigor 3	5.8 - 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C) outdoors	Moderate to Dry	Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 4-5; for 6"/gallon, 6-8; for 8", 8-10	Last to go outside
SUPERBENA® Verbena	Vigor 3	5.8 - 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C) outdoors	Moderate to Moist	Early Spring through Fall Finish. Standard Plants Per Container.	For 4-5", 4-6; for 6"/gallon, 5-7; for 8", 7-9; for 10-12", 8-10	Last to go outside
CAKE POPS® Verbena rigida	Vigor 2	5.8 - 6.2/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Moderate to Dry	Spring to Fall Finish. Standard Plants Per Container.	For 4-5", 6-8; for 6"/gallon, 8-9; for 10-12", 10-12	Last to go outside

	Vigor	pH/EC	Rooting Out Temperature	Growing Temperature	Holding Temperature	Water Requirement	Planting s and Timing	Finish Times in Weeks	Spring Outdoor Finish
METEOR SHOWER® Verbena	Vigor 3	5.5 - 6.2/.69	65-70° F (18-21° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Moderate to Moist	Spring through Fall Finish. 4" container - 1PPP 6" container - 1-3PPP 10" or larger - 3-5PPP	For 4-5", 5-6; for 6"/gallon, 8-10; for 10-12", 10-12	Second to go outside
'Variegata' 'Wojo's Jem' <i>Vinca</i>	Vigor 2	5.5 - 5.8/.69	65-72° F (18-22° C)	65-72° F (18-22° C)	50-60° F (10-16° C)	Moderate to Moist	Spring to Fall Finish. Standard Plants Per Container.	For 4-5" and QT, 5-6; for 6"/gallon, 7-8	Do not move outside until all danger of frost is past

# Online Cultural Guide

When you have growing questions, you can access our online growing guide at **provenwinners.com/cultural-information** for answers.

By providing easy, 24/7 access to this information, we save you time – and money – so you can spend it tending to business and building that business, too.

# 6 Critical Production Tips

Want to produce full and floriferous container recipes using Proven Winners annuals? Follow these six production tips from our growers who have decades of experience growing gorgeous hanging baskets.

# The Key to Success

Starting with exceptional quality liners is the most important thing you can do to get your container recipes off to a great start. Even if you encounter issues along the way as you produce your crop, they will be far easier to navigate if you start with quality liners. Your propagator will be happy to work with you to determine the best liner size and delivery date to fit your production model.



Starting with robust liners is the key to success in growing premium quality container recipes. Work with your propagator to determine the best liner size to fit your needs.

# **?** Start Your Liners Off Right

Minimizing stress on newly planted liners will avoid complications down the road. As a standard practice, we apply a preventative broad spectrum fungicide drench one week after transplant to all newly transplanted liners. This protects their roots from potential attacks.

# **A** Moderate Your Watering

It is very easy to overwater newly transplanted liners, so take care not to create this unnecessary stress. During the first few weeks after transplant, the root system is still small and does not yet extend down the bottom of the container. At this time, frequent but low volume water applications are required to provide the liners just the right amount of water they need without becoming overly wet.



Drip lines allow maximum control over irrigation, ensuring liners are not over- or under-watered in production.

# **A** Build a Strong Foundation

When your liners are young and are newly transplanted into hanging baskets, focus on developing a strong root system for the plants. Timing is key. We closely monitor the growing temperature, pH and EC of the growing media, and fertility while the plants are becoming established in the container.

# Trimming and Shaping

As the plants are growing, a series of pinches and/or PGR applications are used to shape the plants in the containers. For many plants, we trim around the edges of the containers as needed, prior to spacing uprights and hanging the baskets. PGR rates are listed on our website for all of the plants we offer.



Trimming plants around the edges of the containers before spacing will make it easier to lay them out properly on the floor.

### Feed Those Plants!

Premium quality hanging baskets and upright containers will fly out of inventory in spring, so be sure you are feeding your entire crop well to get the most out of your inventory. We recommend using fertilizers that contain micronutrients and 100% EDDHA as the source of iron. Call our grower hotline if you need fertilizer recommendations.

Nordic Nurseries – 604.607.7074

Ed Sobkowich Greenhouses – 905.945.8870.

# Cultural Information and Growing Tips

To produce the highest quality plant material, growers must have detailed crop culture information. In order to help our grower customers produce the best finished crops, our propagators have developed this user-friendly guide which categorizes plants by their basic cultural needs — pH, growing temperature, and fertilization. The goal is to aide our grower customers in setting up custom growing environments for plants grouped by their basic needs. Visit provenwinners.com for more detailed cultural information on all Proven Winners varieties.

#### **Proven Winners® Annuals**

Growing Temp	<b>A</b> pH 5.5 - 5.8	<b>B</b> pH 5.8 - 6.2	<b>C</b> pH 6.0 - 6.5
<b>A</b> 55°-65° F (12-18° C)	Superbells® <i>Calibrachoa</i> , Sunsatia®, Aromance® and other <i>Nemesia</i> , Supertunia® <i>Petunia</i>	Butterfly <i>Argyranthemum</i> , Campfire® and Goldilocks Rocks® <i>Bidens</i> , Karalee® and Stratosphere™ <i>Gaura</i> , Beth's Blue® <i>Isotoma</i> , Bright Lights™ <i>Osteospermum</i> , Intensia® <i>Phlox</i> , 'Variegata' and 'Wojo's Jem' <i>Vinca</i>	Silver Bullet® <i>Artemisia</i> , Pink Chablis® <i>Lamium</i> , Princess and Knight <i>Lobularia</i> , Swedish Ivy <i>Plectranthus</i>
<b>B</b> 65°-72° F (18-22° C)	Pegasus® <i>Begonia</i> , Ladybird® <i>Calylophus</i> , Silver Falls™ <i>Dichondra</i> , Suncredible® <i>Helianthus</i> , Stardiva™ and Whirlwind® Scaevola, Snowstorm® Sutera (Bacopa)	Artist® Ageratum, Asparagus Fern Asparagus, Double Delight®, Double Up™, Space Age™, Solenia®, Surefire® Begonia, Señorita Rosalita® and Señorita Blanca® Cleome, Mystic Illusion and Virtuoso™ Dahlia, Diamond Euphorbia, English Ivy Hedera, Rockapulco® Impatiens, Safari® Jamesbrittenia, Blue Mohawk® and 'Curly Wurly' Juncus, Laguna® Lobelia, Charmed® Wine Oxalis, Vertigo® Pennisetum, Rockin'® Salvia and Unplugged® Salvia, Sunbini® Sanvitalia, Lemon Coral® Sedum, Angel Wings Senecio, Persian Shield Strobilanthes, 'Purple Queen' Tradescantia, Cake Pops®, Superbena® and Meteor Shower® Verbena	'Variegatum' Chlorophytum, Flambé® Chrysocephalum,'Coffee Cups' and Heart of the Jungle® Colocasia, ColorBlaze® Coleus, Baby Tut®, King Tut®, Prince Tut™ and Queen Tut™ Cyperus, Truffula™ Pink Gomphrena, Aromagica™ and Augusta® Heliotropium, Illusion®, Sweet Caroline, and Margarita Ipomoea, Goldilocks and Waikiki Sunset™ Lysimachia, Big Leaf Muehlenbeckia, Mojave® Portulaca, Amazel Basil® Ocimum
C 70°-75° F (21-24° C)		Angelface® <i>Angelonia</i> , Totally Tempted™ <i>Cuphea</i> , Licorice Plant <i>Helichrysum</i> , Hippo® <i>Hypoestes</i> , Fiber Optic Grass <i>Isolepsis</i> , Luscious® <i>Lantana</i> , GoldDust® <i>Mecardonia</i> , 'Fireworks', Purple Fountain Grass and 'Sky Rocket' <i>Pennisetum</i> , A-Peel® <i>Thunbergia</i> , Catalina® and Summer Wave® <i>Torenia</i>	Endless <sup>™</sup> <i>Browallia</i> , Vermillionaire <sup>®</sup> <i>Cuphea</i> , Blue My Mind <sup>®</sup> and Blue My Mind <sup>®</sup> XL <i>Evolvulus</i> , Sweet Caroline Upside <sup>™</sup> <i>Ipomoea</i> and Sunstar <sup>®</sup> <i>Pentas</i>
Growing Temp			<b>E</b> pH 6.2 - 7.0
<b>D</b> 70°-85° F (21-29° C)			Toucan® <i>Canna</i>

In growing group codes, the first letter represents the Growing Temp and the second letter represents the pH.

#### $Fertilizer\ rate\ for\ all\ plants\ listed\ above\ is\ 150\text{-}200\ Constant\ Liquid\ Feed\ (CLF)\ with\ the\ following\ exceptions:$

75-100 CLF
Endless™ Browallia
Blue My Mind® Evolvulus
Blue My Mind® XL Evolvulus
100-150 CLF
Asparagus Fern Asparagus
Double Delight® Begonia

Double Up™ *Begonia* 'Variegatum' *Chlorophytum* 

Rockapulco® Impatiens
Fiber Optic Grass Isolepsis
'Fireworks', Purple Fountain Grass,
'Sky Rocket' and Vertigo® Pennisetum
Sunstar® Pentas
Mojave® Portulaca
Sunbini® Sanvitalia
Lemon Coral® Sedum

200-300 CLF
Toucan® Canna
Señorita Cleome
Illusion®, Sweet Caroline,
and Margarita Ipomoea
Intensia® Phlox
Supertunia® Petunia
A-Peel® Thunbergia

#### **Culture Notes and Groups:**

#### pH:

A: pH 5.5-5.8

B: pH 5.8-6.2

C: pH 6.0-6.5

#### EC:

A: < .6

B: .6-.9

C: 1.0-2.0

#### **Well-Balanced Fertilizer**

N-P-K, 2:1:1.5 with adequate amounts of micronutrients

Low: 100-150 ppm Constant Liquid Feed Medium: 150-200 ppm Constant Liquid Feed High: 200-300 ppm Constant Liquid Feed

#### Fertilizer Disclaimer:

It is a good practice to clear water (leach) once every 3-4 times you water to lower soluble salt levels in the media. EC should also be monitored using weekly EC measurements.

#### **Rooting Out Temperatures:**

The first 10 days of container growth: establishing root system to outside edge of container from the newly planted liner.

65-72° F (18-22° C)

#### **Growing Temperatures:**

Once roots are to the edge of the container – growing on the plant and bulking up foliage and flowers.

A: 55-65° F (12-18° C)

B: 65-72° F (18-22° C)

C: 70-75° F (21-24° C)

D: 70-85° F (21-29° C)

Night temperatures should be run  $5^{\circ}$  F (-15° C) lower than day temperatures

#### **Holding Temperatures:**

(For toning crops and/or for when you have to hold the crop when it is ready to go)

A: 40-50° F (4-10° F) outdoors\*

B: 50-60° F (10-16° F)

C: Maintain Growing Temperatures

#### **Light Levels:**

High: Full sun crops need very high, bright light Moderate: Sun to partial shade crops, High to

moderate light

Low: Partial to full shade crops, Moderate to low light

#### **Moisture Regimes**:

#### Transplant:

Water lightly to maintain moisture level within root zone until roots reach the side of the finished container. Once roots are developed to the side of the pot, see finish watering regime.

#### Finish Watering Regimes:

- A: Dry to Moderate: Water thoroughly without oversaturating; keep moist during root development; allow soil surface to dry completely before watering after the crop is rooted to the edge of the pot.
- B: Moderate to Moist: Water thoroughly without over-saturating; keep moist but not wet throughout entire growth cycle.
- C: Moist to Wet: Water thoroughly and keep moisture constant throughout entire growth cycle.

#### **Standard Plants Per Pot (PPP):**

4-5": 1 ppp 6": 1-2 ppp Gallon: 1-3 ppp 8": 3 ppp 10-12": 3-5 ppp

More cuttings per pot will yield faster finishing times. The higher light and temperatures experienced with summer production will dramatically reduce crop times.

#### **Soil Mix for Container Growing:**

Use a high-quality, professional grade soil mix that is adjusted to work with your water quality and growing style to help manage pH and water control.

Use a well-drained, high-quality professional grade soil mix. A peat-lite based soil or equivalent that gives you 60% organic matter and 40% secondary aggregates, such as perlite, rock-wool, coir, and/or bark, will provide proper soil porosity (well-drained soil).

#### **Growth Regulator Disclaimer:**

All PGR rates should be trialed by each individual grower before applications are made to entire crop to ensure desired results. All rates are given as a spray unless otherwise stated. Summer production may require higher PGR rates when crops are grown indoors. Proven Winners and its affiliates are not responsible for misapplication or misuse of these products. Check manufacturers' labels for approved rates and usage recommendations.

<sup>\*</sup> Sometimes this temperature is indoors when prompted not to finish the plants outdoors.

#### **Pest Management:**

A weekly scouting program is suggested. Monitor for common greenhouse pests. Treat accordingly, using label instructions. Be sure to rotate chemical classes to guard against development of resistance to chemicals.

#### **Disease Management:**

Treat with preventative broad spectrum fungicidal drench one week after transplant. Scout crops regularly (at least once a week) for disease development. Good air circulation, control of humidity, and good sanitation practices are critical. Good sanitation practices include keeping greenhouses clean at all times, eliminating weeds and debris, disinfecting equipment and greenhouses as often as possible, and keeping hose ends off the floor. Good water management practices are critical to healthy plant growth.

#### **Day Neutral:**

Ability of plants to flower freely regardless of daylength.

#### **Spring Outdoor Finish:**

Many Proven Winners crops can be finished outdoors under cool temperatures. Finishing under cool temperatures will allow you to expand production area, allows additional spacing inside greenhouse, allows additional turns, and improves quality of the product. Those plants finished outdoors will need additional time to finish. Specific finishing times are difficult to predict due to variability in weather patterns. Outdoor mum production areas are perfect to use as spring cold temperature finishing space.

Before plants are moved outside, they should be acclimated to colder temperatures using holding temperatures stated above.

Ideally, plants should be moved outdoors on an overcast day, with moderate temperatures, little wind, and no severe cold (freezing temperatures) forecasted for the next 24 hours. Often a full moon will mean clear skies, which will allow temperatures to drop more than expected. To maintain proper nutrition after a heavy rain, a light water application with 400-500 ppm N can be used on the already wet plants (this high fertilizer application on dry plants will result in burn).

Plants vary in ability to withstand cold temperature finishing. To help you manage when crops can be placed outdoors, we have split our plant material into 3 groups (Not all crops can be finished outdoors and will be noted as No). In the case of unusually cold temperatures, you should have frost protection measures ready (frost cloth, sprinklers, or ability to move plants under cover).

It is generally too cold for insects and disease to prosper. You should continue to scout for problems, however, chemical control measures probably won't be needed. Plant growth regulators will not be needed to control growth.

Growers who wish to try this method of finishing plants should trial a small portion of their plant material the first year to gain experience and comfort. Each year will differ and growers need to be prepared to adapt as conditions change.

#### A: First to go outside $-33-36^{\circ}$ F (0-2° C):

These plants can be placed outside the earliest. When temperatures are not forecasted to drop below freezing for the next 10 days you should be able to move these plants outdoors. Should the temperature be forecasted to drop below 28° F (-2° C), protection measures should be taken.

#### B: Second to go outside $-38-42^{\circ}$ F (3-5° C):

This is the second wave of plant material. These plants can be moved outside when odds are that temperatures are much less likely to drop below freezing. Protection measures should be taken for this group when temperatures are forecasted to reach 32° F (0° C). Average daily temperatures should be higher than when group A material was moved out. Generally, a few weeks after group A is moved out, group B can be moved outside.

#### C: Last to go outside $-45^{\circ}$ F + $(7^{\circ}$ C +):

This is the third wave of plant material. These plants can be moved outside when temperatures are no longer likely to reach freezing. A hard frost will cause damage to this group. If a hard frost is forecasted, protection measures should be implemented.

For questions please call the grower hotlines: Nordic Nurseries — 604.607.7074 Ed Sobkowich Greenhouses — 905.945.8870





### Need help? Give us a call.

We're totally committed to helping you grow quality crops.

# Index

Ageratum	Coleus scutellarioides	Heliotropium
ARTIST® Blue24	COLORBLAZE® Series	AROMAGICA™ Purple
Agrostis stolonifera	COLORBLAZE® Drop Series46	AUGUSTA™ Lavender
Green Twist118	COLORBLAZE® MINI ME™ Series 43	Herbs
Anagallic	COLORBLAZE® Royale Series46	'Munstead' Lavender
'Wildcat Blue'	Fishnet Stockings118	Greek Oregano120
'Wildcat Mandarin'	Colocasia esculenta	Arp Rosemary
	'Coffee Cups'	Spearmint120
Angelonia ANGELFACE® Series	HEART OF THE JUNGLE®48	English Thyme120
ANGELFACE® Cascade Series25	Cosmos astrosanguineus	Lemon Thyme
ANGELFACE® Super Series	Choca Mocha118	Hypoestes phyllostachya
•	Cuphea	HIPPO® Series
Aptenia 110	VERMILLIONAIRE® 50	Impatiens
Variegata118		SUNPATIENS® Compact Series
Argyranthemum frutescens	<b>Cuphea procumbens</b> TOTALLY TEMPTED™ Series	Impatiens walleriana
GOLDEN BUTTERFLY®		ROCKAPULCO® Series
PURE WHITE BUTTERFLY®24	Dahlia	
Artemisia stelleriana	Mystic Illusion50	Ipomoea batatas
SILVER BULLET®104	Dahlia variabilis	ILLUSION® Series
SILVER CASCADE®118	VIRTUOSO™ Series	Margarita
Asparagus densiflorus 'Sprengeri'	Dichondra argentea	Sweet Caroline Series
Asparagus Fern	SILVER FALLS™106	Sweet Caroline UPSIDE™ Series64
Bacopa (Sutera cordata)	Euphorbia	Isotoma
SNOWSTORM® Series	DIAMOND DELIGHT®	BETH'S BLUE®
	DIAMOND MOUNTAIN®52	Jamesbrittenia
<b>Begonia</b> DOUBLE DELIGHT® Series	DIAMOND SNOW®	SAFARI® Series65
	Evolvulus	Lamium maculatum
PEGASUS®	BLUE MY MIND® Series53	PINK CHABLIS®112
BELLECONIA™ Series		Lantana camara
SUMMERWINGS® Series118	Fuchsia	LUSCIOUS® Series
SUREFIRE® Series	Dark Eyes	
Begonia rex	Swingtime	<b>Lobelia erinus</b> LAGUNA® Series
SPACE AGE™ Series32		
Begonia semperflorens	Gaura	Lobularia
DOUBLE UP™ Series30	KARALEE® Petite Pink	BLUSHING PRINCESS®
Begonia x hiemalis	STRATOSPHERE™ Series54	SNOW PRINCESS®
SOLENIA® Series	<b>Geranium (<i>Pelargonium</i>)</b> TIMELESS™ Series120	VIOLET KNIGHT®
SOLENIA® Dark Pink		WHITE KNIGHT®70
SOLENIA® Light Pink	Gomphrena pulchella	Lophospermum
0	TRUFFULA™ Pink	LOFOS® Series122
<b>Bidens</b> CAMPFIRE® Series	Grasses (Annual)	Lysimachia congestiflora
GOLDILOCKS ROCKS®	GRACEFUL GRASSES® Series56	WAIKIKI SUNSET™
	Hedera helix	Lysimachia nummularia
Browallia	Glacier	Goldilocks
ENDLESS™ Series	Needlepoint	Mecardonia
Calibrachoa	PATRICIA®	GOLDDUST®71
SUPERBELLS® Series	White Ripple	
Calylophus	Yellow Ripple107	Muehlenbeckia
LADYBIRD® Sunglow35	Helianthus	Big Leaf Creeping Wire Vine114
Canna x generalis	Suncredible® Series60	Nemesia fruticans
TOUCAN® Series41		Bluebird Improved
Chlorophytum comosum	Helichrysum petiolare	AROMANCE® Series72
'Variegatum' (Spider Plant)	Licorice Splash	Nemesia
	White Licorice	SUNSATIA® Series
<b>Chrysocephalum apiculatum</b> FLAMBÉ® Yellow42		Ocimum
	Helichrysum thianschanicum	AMAZEL BASIL®76
Cleome	lcicles	Osteospermum
SEÑORITA BLANCA®	Heliotrope arborescens	BRIGHT LIGHTS® Series
SEÑORITA ROSALITA®42	Marine120	

# Index

Oxalis triangularis CHARMED® Wine
Oxalis vulcanicola
MOLTEN LAVA™122
<b>Pelargonium (Geranium)</b> TIMELESS™ Series
<b>Pentas lanceolata</b> SUNSTAR®
PetuniaSUPERTUNIA® Daybreak Charm.80SUPERTUNIA® HOOPLA™ VIVID ORCHID™ 80SUPERTUNIA® Series.78SUPERTUNIA MINI VISTA® Series.82SUPERTUNIA TIARA™ Series.78SUPERTUNIA VISTA® Series.83SURFINIA® Series.122
<b>Phlox</b> INTENSIA® Series85
<b>Plectranthus coleoides</b> Swedish Ivy
<b>Portulaca umbraticola</b> MOJAVE® Series
Salvia'Golden Delicious'.115ROCKIN'® Series.90UNPLUGGED® Series.88
<b>Sanvitalia procumbens</b> SUNBINI®
Scaevola aemulaSTARDIVA™ Series.92WHIRLWIND® Series.93
<b>Sedum mexicanum</b> LEMON CORAL®
<b>Senecio candicans</b> Angel Wings
<b>Senecio rowleyanus</b> String of Pearls
<b>Strobilanthes dyerianus</b> Persian Shield
<b>Thunbergia alata</b> A-PEEL® Series
<b>Torenia</b> CATALINA® Series

<b>Tradescantia pallida</b> Purple Queen'116
Verbena
SUPERBENA® Series
<b>Verbena bonariensis</b> METEOR SHOWER®101
<b>Verbena rigida</b> CAKE POPS® Series97
Vinca maculata Wojo's Jem'116
<b>Vinca major</b> Variegata'







The #1 Plant Brand.°

1600 E. Lincoln Highway, Suite F, DeKalb, IL 60115 815.895.1872 Fax: 815.895.1873 www.provenwinners.com www.beauty.provenwinners.com www.nationalplantoftheyear.com













#### Nordic Nurseries, Ltd.

29386 Haverman Road, Abbotsford, BC V4X 2P3 604.607.7074 www.nordicplants.com

#### Ed Sobkowich Greenhouses, Ltd.

398 Maple Avenue, Grimsby, ON L3M 3B9 905.945.8870 www.sobkowich.com